

REAL DE ZIMAPÁN 430 VILLAS DEL PAROUE QUERÉTARO, QUERÉTARO 76140 INFO@SINALOINA.COM WWW.SINALOINA.COM

MATERIAL SAFETY DATA SHEET

ALOE VERA GEL 1:1 – SORBATO & BENZOATO

In accordance with Regulation (EC) No 1907/2006 (REACH), Art. 31 and subsequent updates

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Trade Name Aloe Vera Gel 1:1 - Sorbato & Benzoato **Synonyms** Aloe Vera Gel 1X with Sorbato & Benzoato

EC Number

Multiple CAS numbers (see Technical Data Sheet) **CAS Number**

REACH Registration Number

Relevant Identified Uses Ingredients for food, cosmetics, and nutraceuticals

Uses Advised Against

Manufacturer/Supplier Sinaloina SA de CV

Real de Zimapán 430 Villas del Parque Querétaro **Address**

Querétaro 76140

Phone

Email info@sinaloina.com 1-800-424-9300 **Emergency Number**

SECTION 2: Hazards identification

Precautionary Statements

Adverse Human Health Effects and Symptoms

substances presenting a health or environmental hazard Classification of the Substance or Mixture within the meaning of Regulation (EC) No 1272/2008. For the full text of Hazard- and EU Hazard statements, see

SECTION 16.

No information. The mixture does not contain

No information. The mixture does not contain **Hazard Pictograms**

substances presenting a health or environmental hazard within the meaning of Regulation (EC) No 1272/2008.

No information. The mixture does not contain Signal Word

substances presenting a health or environmental hazard

within the meaning of Regulation (EC) No 1272/2008.

No information. The mixture does not contain

substances presenting a health or environmental hazard within the meaning of Regulation (EC) No 1272/2008.

Adverse Physicochemical Effects Information not available.

Information not available. When used properly, the product is safe and tolerable in accordance with the legal provisions (Article 3 of the EC Cosmetics

Regulation). Any other hazard information applies to

inadvertent misuse or accidents.



REAL DE ZIMAPÁN 430 VILLAS DEL PARQUE QUERÉTARO, QUERÉTARO 76140 INFO@SINALOINA.COM WWW.SINALOINA.COM

Adverse Environmental Effects

Information is not available. When used properly, the product is safe and tolerable in accordance with the legal provisions (Article 3 of the EC Cosmetics Regulation). Any other hazard information applies to inadvertent misuse or accidents.

Other Adverse Hazards

Based on the available data, the product does not contain PBT or vPvB substances in concentrations ≥ 0.1%.

Based on the available data, no substances have been identified as endocrine disruptors in accordance with Regulation (EU) 2017/2100 and Regulation (EU) 2018/605.

SECTION 3: Composition and information on ingredients

The product does not contain substances classified as hazardous to health or the environment under the provisions of Regulation (EU) 1272/2008 (CLP) (and subsequent amendments and adaptations) in quantities that would require declaration.

	Concentration in the mixture: $1.5 \le x < 2\%$		
	CAS Number: 77-92-9		
	EC Number : 201-069-1		
	INDEX Number: (not specified)		
	REACH Registration: 01-2119457026-42		
Citric Acid	Hazard Classification:		
	 <u>↑</u>Eye Irrit. 2 (H319) → Causes eye irritation, 		
	Category 2		
	 STOT SE 3 (H335) → May cause respiratory 		
	irritation (Specific Target Organ Toxicity - Single		
	Exposure, Category 3)		
	Concentration in the mixture: 0,3 ≤ x < 0,35		
	CAS Number: 24634-61-5		
	EC Number: 246-376-1		
	INDEX Number: 019-003-00-3		
Potassium Sorbate	REACH Registration: (not specified)		
	Hazard Classification:		
	 Lye Irrit. 2 (H319) → Causes eye irritation, 		
	Category 2		
	 <u>^</u>Skin Irrit. 2 (H315) → Causes skin irritation, 		
	Category 2		
	Concentration in the mixture: $0.3 \le x < 0.35$		
	CAS Number: 532-32-1		
	EC Number : 208-534-8		
Sodium Benzoate	INDEX Number: (not specified)		
	REACH Registration: 01-2119460683-35		
	Hazard Classification:		
	 Lye Irrit. 2 (H319) → Causes eye irritation, 		
	Category 2		



Following Eye Contact

Following Ingestion

SINALOINA SA DE CV

REAL DE ZIMAPÁN 430 VILLAS DEL PAROUE QUERÉTARO, QUERÉTARO 76140 INFO@SINALOINA.COM WWW.SINALOINA.COM

SECTION		

When contact with the product, use or handling, causes **General Notes**

symptoms requiring prompt aid, follow the directives

below for the specifical exposure route.

In case of inhalation, the affected person should be **Following Inhalation**

moved into fresh air and kept still. If breathing is difficult,

consult a doctor.

Remove contaminated, saturated clothing immediately. **Following Skin Contact**

Wash thoroughly the body (shower or bath). When in

doubt or if symptoms are observed, get medical advice.

Remove contact lenses. After contact with the eyes,

rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist

immediately.

If accidentally swallowed rinse the mouth with plenty of

water (only if the person is conscious) and obtain immediate medical attention. Do not induce vomiting

when the affected person is unconscious.

Self-Protection of the First Aider No particular information.

Symptoms See Section 11 (Toxicological information)

Effects See Section 11 (Toxicological information)

Notes for the Doctor Information is not available.

Information is not available. **Special Treatment**

SECTION 5: Firefighting Measures

Suitable Extinguishing Media Carbon dioxide, foam, powder, water mist.

Unsuitable Extinguishing Media No particular media.

Hazardous Combustion Products However, avoid breathing combustion products.

Cool containers with water to avoid possible

decomposition of the product and formation of potential **Advice for Firefighters**

hazardous substances. Wear full protection equipment available. When possible, collect extinguishing water and avoid contamination of surface water or drains.



REAL DE ZIMAPÁN 430 VILLAS DEL PARQUE QUERÉTARO, QUERÉTARO 76140 INFO@SINALOINA.COM WWW.SINALOINA.COM

Equipment for Firefighters

Standard firefighting gear, such as a self-contained open circuit compressed air breathing apparatus (EN 137), flame-resistant suit (EN 469), flame-resistant gloves (EN 659), and firefighter boots (HO A29 or A30).

SECTION 6: Accidental Release Measures	
For non-emergency personnel	Wear suitable protection equipment (see also Section 8 of the SDS) to avoid inhalation, contact with the skin and eyes and contamination of clothes.
For Emergency Responders	Wear suitable protection equipment (see also Section 8 of the SDS) to avoid inhalation, contact with the skin and eyes and contamination of clothes.
Environmental Precautions	Do not allow them to enter surface water or drains.
For Containment	Collect products with mechanical devices (if product is flammable use only antistatically equipped spark-free tools) and store in suitable containers for disposal. Check compatibility of the containers to collect product (see also Section 10 of the SDS).
For Cleaning Up	Use inert absorbent material (sand, vermiculite, diatomaceous earth, etc.) to soak up leaked product. Collect most of the remaining material and store it in suitable containers for disposal. Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions of Section 13.
Other Information	No particular information
Reference to other sections	Safe handling: see section 7 Disposal: see section 13 Personal protection equipment: see section 8
SECTION 7: Handling and Storage	

General protective measures

Handle products after consultation of all other sections of this SDS. Avoid product dispersion. When using it do not eat, drink, smoke, or sniff. Avoid improper contact with skin and eyes and inhalation.

If the product is flammable provide adequate earthing **Measures To Prevent Fire** of containers, equipment, pumps and ventilation facilities.

Measures To Prevent Aerosol and Dust Generation No particular information

Measures To Protect the Environment Avoid product dispersion, keep containers well closed.



REAL DE ZIMAPÁN 430 VILLAS DEL PARQUE
QUERÉTARO, QUERÉTARO 76140
INFO@SINALOINA.COM
WWW.SINALOINA.COM

Advice On General Occupational Hygiene

When using it, do not eat, drink, smoke, or sniff. Remove clothes when contaminated. Wash hands before breaks and after work.

Technical Measures and Storage Conditions

Keep the product in clearly labeled containers. Store containers away from any incompatible materials, referring to Section 10 for details.

Packaging Materials

Store in original containers; replace the closing cap. If the product is moved to other containers, label them the same way as the original packages.

Requirements For Storage Rooms and Vessels

Store in tightly closed containers in a cool, dry, and well-ventilated place, away from incompatible materials (see Section 10), protected from light and heat.

Recommendations

No particular information

Industrial Sector Specific Solutions

No particular information

SECTION 8: Exposure Controls/Personal Protection

Exposure Control

Since the use of appropriate technical measures should always take priority over personal protective equipment, ensure good workplace ventilation through effective local exhaust.

Biological limit values

Information not available

Exposure limits at intended use

Information not available

Citric Acid:

Freshwater reference value: 440 mg/L

Sediment reference value in freshwater: 34.6 mg/kg
 Sediment reference value in seawater: 3.46 mg/kg

Soil compartment reference value: 33.1 mg/kg

Potassium Sorbate:

Freshwater reference value: 1 mg/L

Marine water reference value: 0.1 mg/L

Freshwater sediment reference value: 3.6 mg/kg

Marine water sediment reference value: 0.36 mg/kg

Intermittent release into water: 4.8 mg/L

STP microorganisms reference value: 10 mg/L

Soil compartment reference value: 1.67 mg/kg

For consumers:

- Oral exposure: 2 mg/kg bw/d (systemic, chronic)
- Inhalation exposure: 52.17 mg/m³ (systemic, acute)
- **Dermal exposure:** 20 mg/kg bw/d (systemic, acute)

For workers:

DNEL/PNEC-values



REAL DE ZIMAPÁN 430 VILLAS DEL PARQUE
QUERÉTARO, QUERÉTARO 76140
INFO@SINALOINA.COM
WWW.SINALOINA.COM

Oral exposure: Not applicable

• Inhalation exposure: 17.63 mg/m³ (systemic, chronic)

• **Dermal exposure:** 40 mg/kg bw/d (systemic, chronic)

Sodium Benzoate:

• Freshwater reference value: 0.13 mg/L

Marine water reference value: 0.013 mg/L

• Freshwater sediment reference value: 1.76 mg/kg/d

Marine water sediment reference value: 0.176 mg/kg/d

• Intermittent release into water: 0.305 mg/L

• STP microorganisms reference value: 10 mg/L

Food chain (secondary poisoning) reference value: 300

• Soil compartment reference value: 0.276 mg/kg

For consumers:

Oral exposure: 16.6 mg/kg bw/d (systemic, chronic)

Inhalation exposure: 0.06 mg/m³ (acute, systemic), 1.5 mg/m³ (systemic, chronic)

Dermal exposure: 31.25 mg/kg bw/d (systemic, acute),
 62.5 mg/kg bw/d (systemic, chronic)

For workers:

Oral exposure: Not applicable

 Inhalation exposure: 0.1 mg/m³ (local, acute), 3 mg/m³ (systemic, chronic)

Dermal exposure: Not available

Risk management measures according to used control banding approach

It is recommended to use a P-type filtering face mask, with the class (1, 2, or 3) and actual necessity to be determined based on the results of the risk assessment (ref. EN 149 standard).

Environmental Exposure Controls

Emissions from production processes, including those from ventilation equipment, should be controlled to ensure compliance with environmental protection regulations.

Hand protection

Protect hands with Category III work gloves (ref. EN 374 standard). When selecting the final glove material, consider compatibility, degradation, breakthrough time, and permeation. In the case of preparations, the resistance of work gloves to chemical agents must be tested before use, as is not always predictable. Gloves have a wear time that depends on duration and usage conditions.

Skin protection

Wear long-sleeved work clothing and Category I professional safety footwear (ref. Regulation 2016/425 and EN ISO 20344 standard). Wash with water and soap after removing protective clothing.

Eye protection

It is recommended to wear sealed protective goggles (ref. EN 166 standard).



REAL DE ZIMAPÁN 430 VILLAS DEL PARQUE QUERÉTARO, QUERÉTARO 76140 INFO@SINALOINA.COM WWW.SINALOINA.COM

Respiratory protection

If the threshold limit value (e.g., TLV-TWA) of the substance or any of the substances in the product is exceeded, it is recommended to wear a mask with a type A filter, with the class (1, 2, or 3) chosen according to the usage concentration limit (ref. EN 14387 standard). If gases or vapors of different nature and/or gases or vapors with particles (aerosols, fumes, mists, etc.) are present, combined filters should be used. The use of respiratory protective equipment is necessary if the technical measures adopted are not sufficient to limit worker exposure to the considered threshold values. The protection provided by masks is still limited. If the substance is odorless or its odor threshold is higher than its TLV-TWA and in case of emergency, wear a self-contained open-circuit compressed air breathing apparatus (ref. EN 137 standard) or an external air supply respirator (ref. EN 138 standard). For the correct selection of respiratory protective equipment, refer to the EN 529 standard.

SECTION 9: Physical and Chemical Properties Clear Solution **Appearance** Characteristics of Aloe Vera Odor 3.5 - 4.2Hq Aloin (AYB) < 0.5 ppm Melting point/freezing point Not available **Initial boiling point** Not available **Boiling range** Not available Not available Flash point **Evaporation rate** Not available Flammability (solid, gas) Not available Upper flammability Not available Lower flammability Not available Upper explosivity Not available Lower explosivity Not available Not available Vapor pressure Vapor density Not available Relative density Not available Solubility Soluble in water/Insoluble in Organic solvents **Partition coefficient** Not available Not available **Auto-ignition temperature Decomposition temperature** Not available Not available Viscosity **Explosive properties** Not available Not available Oxidizing properties

SECTION 10: Stability and Reactivity



REAL DE ZIMAPÁN 430 VILLAS DEL PARQUE QUERÉTARO, QUERÉTARO 76140 INFO@SINALOINA.COM WWW.SINALOINA.COM

Reactivity

Chemical Stability

Possibility Of Hazardous Reactions

Conditions To Avoid

Incompatible Materials

Hazardous Decomposition Products

No reaction hazards with other chemicals at normal use and storage conditions.

The product is stable under normal use and storage conditions.

Sodium Benzoate

- Under normal conditions of use and storage, hazardous reactions are not expected.
- May form explosive mixtures with air.

Conditions to avoid

• No specific conditions. However, follow standard precautions when handling chemicals.

Citric Acid

Avoid dust formation.

Potassium Sorbate

· Avoid light and heat.

Sodium Benzoate

- Avoid overheating.
- Avoid exposure to heat, open flames, and electrostatic discharges.

Avoid the formation of dust

Citric Acid

- Strong bases
- Oxidizing agents

Potassium Sorbate

- Strong oxidizers
- Aluminum, zinc, tin

Sodium Benzoate

- Strong reducing and oxidizing agents
- Strong bases and acids
- High-temperature materials

Citric Acid

 In case of fire or high temperatures, hazardous toxic vapors may form.

Potassium Sorbate

 In case of overheating, toxic vapors containing CO and CO₂ may develop.

Sodium Benzoate

• May develop carbon oxides.



REAL DE ZIMAPÁN 430 VILLAS DEL PARQUE QUERÉTARO, QUERÉTARO 76140 INFO@SINALOINA.COM WWW.SINALOINA.COM

SECTION 11: Toxicological Information

Citric Acid:

- LD50 (Dermal): > 2000 mg/kg (rat).
- LD50 (Oral): 11700 mg/kg (rat), OECD 401.

Acute toxicity

Potassium Sorbate

- **LD50 (Dermal)**: 2000 mg/kg (rabbit).
- LD50 (Oral): 10500 mg/kg (rat).

Sodium Benzoate

• LD50 (Oral): > 2000 mg/kg (rat).

Citric Acid

- Species: Rabbit.
- Result: No skin irritation.
- Method: OECD Test Guideline 404.
- Note: May cause skin irritation in predisposed individuals.

Citric Acid

- Species: Rabbit.
- Result: eye irritation.
- Method: OECD Test Guideline 405.

Respiratory or skin sensitization

Serious eye damage/irritation

Skin corrosion/irritation

Does not meet the classification criteria for this hazard class.

Citric Acid

In vitro Genotoxicity:

- Test type: Reverse mutation assay.
- Test system: Salmonella typhimurium.
- Concentration: 0 5000 μg/plate.
- Method: Mutagenicity (Salmonella typhimurium Ames test).
- Result: Negative.
- Test type: Micronucleus test.
- Test system: Human lymphocytes.
- Concentration: 50, 100, 200, 3000 μg/ml.
- Method: Mutagenicity (mammalian: in vitro cytogenetic assay).
- Result: Positive.

In vivo Genotoxicity:

- Test type: Chromosome aberration test.
- Species: Rat.
- Cell type: Bone marrow.
- Application method: Oral.
- Doses: 0.3 mg/kg bw.
- Method: OECD Test Guideline 475.
- Result: Negative.

Potassium Sorbate

• NOAEL: 1400 mg/kg bw/day, oral. Negative.

Sodium Benzoate

NOAEL (rat): 500 mg/kg bw/day.

Potassium Sorbate

Fertility:

Germ cell mutagenicity

Carcinogenicity

Reproductive toxicity



REAL DE ZIMAPÁN 430 VILLAS DEL PARQUE
QUERÉTARO, QUERÉTARO 76140
INFO@SINALOINA.COM
WWW.SINALOINA.COM

NOAEL: 1000 mg/kg bw/day, oral. Negative.

Developmental Toxicity:

NOAEL: 300 mg/kg bw/day, oral. Negative.

Sodium Benzoate

• NOAEL (rat): 500 mg/kg bw/day.

Summary of evaluation of the CMR properties

Does not meet the classification criteria for this hazard class.

Citric Acid

 The substance or mixture is classified as a specific target organ toxicant (single exposure), category 3, causing respiratory tract irritation.

- Target Organs: Respiratory system.
- Route of Exposure: Inhalation.

Citric Acid

Repeated Dose Toxicity:

Species: Rat.

NOAEL: 4000 mg/kg.

LOAEL: 8000 mg/kg.

Application method: Oral.Exposure duration: 10 days.

Doses: 2, 4, 8, 16 g/kg bw/day.

Aspiration hazard

STOT-single exposure

STOT-repeated exposure

Does not meet the classification criteria for this hazard class.

Endocrine Disrupting Properties

Based on the available data, the product does not contain substances identified as endocrine disruptors in accordance with Regulation (EU) 2017/2100 and Regulation (EU) 2018/605 in concentrations \geq 0.1%.

Other information

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with effects on human health under evaluation.

SECTION 12: Ecological Information

Use products following good working practice. Take measures to prevent the release of the substance or mixture to the environment, such as avoiding spills or keeping away from drains.

Potassium Sorbate

LC50 - Fish: 500 mg/L (96h)

EC50 - Crustaceans: 480 mg/L (48h)

• EC50 - Algae / Aquatic plants: 982 mg/L (72h)

Sodium Benzoate

- LC50 Fish: > 100 mg/L (96h) (Pimephales promelas)
- EC50 Crustaceans: > 100 mg/L (48h) (Daphnia magna)
- EC50 Algae / Aquatic plants: > 30.5 mg/L (72h) (Pseudokirchnerella subcapitata)

Chronic (long-term) toxicity

Acute (short-term) toxicity

Information not available



REAL DE ZIMAPÁN 430 VILLAS DEL PAROUE QUERÉTARO, QUERÉTARO 76140 INFO@SINALOINA.COM WWW.SINALOINA.COM

Abiotic degradation Information not available

Information not available Physical- and photo-chemical elimination

Potassium Sorbate: Biodegradable.

Biodegradation Sodium Benzoate: Readily degradable, water solubility >

10000 mg/L.

Partition coefficient n-octanol/water Sodium Benzoate: Log Pow = 1.88

Potassium Sorbate: BCF = 0.007 (dimensionless). **Bioconcentration factor (BCF)**

Known or predicted distribution to environmental

compartments

Potassium Sorbate: High mobility in soil, indicating high potential for leaching into groundwater due to low Log

Koc.

Surface tension Information not available

Information not available Adsorption/Desorption

Based on the available data, the product does not contain **Results of PBT and VPVB Assessment**

PBT or vPvB substances in a percentage ≥ 0.1%.

Based on the available data, the product does not contain substances listed in the main European lists of potential

or suspected endocrine disruptors with effects on the

environment under evaluation.

Other Adverse Effects Information not available

SECTION 13: Disposal Considerations

Endocrine Disrupting Properties

are generally considered special non-hazardous waste. Disposal must be carried out by an authorized waste Product/Packaging disposal

management company, in compliance with current national and local regulations. Contaminated packages must be delivered for reuse or disposal by an authorized

Reuse when possible; neat cosmetic products residues

waste management company.

Waste treatment must be generally performed by an Waste treatment-relevant information

authorized waste management company, in compliance

with current national and local regulations.

Waste treatment must be generally performed by an Sewage disposal-relevant information

authorized waste management company, in compliance

with current national and local regulations.

Other disposal recommendations No particular information

SECTION 14: Transport Information



REAL DE ZIMAPÁN 430 VILLAS DEL PARQUE
QUERÉTARO, QUERÉTARO 76140
INFO@SINALOINA.COM
WWW.SINALOINA.COM

This section of the safety data sheet shall provide basic classification information for the transport/shipment of substances or mixtures mentioned in Section 1 by road, rail, sea, inland waterways or air. Where such information is not available or relevant this shall be stated. Where relevant, this section shall provide information on the transport classification for each of the following international agreements which are transposing the UN Model Regulations for specific transport modes: the Agreement concerning the International Carriage of Dangerous Goods by Road (ADR), the Regulations concerning the International Carriage of Dangerous Goods by Rail (RID) and the European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (ADN), all three of which have been implemented by Directive 2008/68/EC of the European Parliament and of the Council, as well as the International Maritime Dangerous Goods (IMDG) Code for the transport of packaged goods and the relevant IMO codes for the transport of bulk cargo by sea, and the Technical Instructions for the Safe Transport of Dangerous Goods by Air (ICAO).

	US DOT	ADR	IMDG	ICAO
UN number or ID number	Not regulated	Not regulated	Not regulated	Not regulated
UN proper shipping name	Not regulated	Not regulated	Not regulated	Not regulated
Transport hazard class	Not regulated	Not regulated	Not regulated	Not regulated
Packing group	Not regulated	Not regulated	Not regulated	Not regulated
Environmental hazards	Not regulated	Not regulated	Not regulated	Not regulated
Special Precautions for Users	Not regulated	Not regulated	Not regulated	Not regulated
Maritime Transport in Bulk	Not regulated	Not regulated	Not regulated	Not regulated

SECTION 15: Regulatory Information

Complies with Regulation (EU) 2015/830 and Regulation (EC) No 1272/2008 (CLP).

SECTION 16: Other Information

Prepared by: SINALOINA
Date of Printing: 1 March 2025
ABBREVIATIONS AND ACRONYMS:

- ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
- CAS Number: Chemical Abstract Service Number
- EC Number: The identification number in the EC Inventory of Chemicals
- CLP: EC Regulation 2008/1272
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Global Harmonised System for the classification and labelling of chemical prosucts
- IATA DGR: Dangerous Goods Regulations for the transport of dangerous goods by the International Air Transport Association
- IC50: The Concentration 50% is a measure of the effectiveness of a substance in inhibiting a specific biological or biochemical function
- ICAO: echnical Instructions for the Safe Transport of Dangerous Goods by Air
- IMDG: International Maritime Dangerous Goods Code for the transportation or shipment of dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identification number in the Annex VI of CLP
- LC50: Letal concentration 50%
- LD50: Letal dose 50%
- OEL: Occupational Exposure Level
- REACH: EC Regulation 2006/1907
- RID: Regulations concerning the International Carriage of Dangerous Goods by Rail
- VOC: Volatile Organic Compound
- vPvB: very Persistent and very Bioaccumulative (REACH)

SOURCES:

- EU Regulation 2006/1907 (REACH)



REAL DE ZIMAPÁN 430 VILLAS DEL PARQUE QUERÉTARO, QUERÉTARO 76140 INFO@SINALOINA.COM WWW.SINALOINA.COM

- EU Regulation 2008/1272 (CLP)
- EU Regulation 2009/790 (I CLP Atp)
- EU Regulation 2011/286 (II CLP Atp)
- EU Regulation 2012/618 (III CLP Atp)
- EU Regulation 2013/487 (IV CLP Atp)
- EU Regulation 2013/944 (V CLP Atp)
- EU Regulation 2014/605 (VI CLP Atp)
- EU Regulation 2015/1221 (VII CLP Atp)
- EU Regulation 2015/830
- EU Regulation 2016/918 (VIII CLP Atp)
- EU Regulation 2016/1179 (IX CLP Atp)
- EU Regulation 2017/776
- EU Regulation 2018/669
- EU Regulation 2018/1480
- EU Regulation 2020/1182
- EU Regulation 2021/849
- EU Regulation 2020/878 (Reach)
- Web site of ECHA Agency

Disclaimer:

The information contained herein is true and correct to the best of Sinaloina's knowledge. No warranty, expressed or implied, is made. Nothing herein should be interpreted as a recommendation to infringe existing patents or violate any laws or regulations. Final determination of the suitability of the material is the sole responsibility of the user.