

REAL DE ZIMAPÁN 430 VILLAS DEL PARQUE QUERÉTARO, QUERÉTARO 76140 INFO@SINALOINA.COM WWW.SINALOINA.COM

SAFETY DATA SHEET

ALOE VERA GEL 10:1 – SORBATO & BENZOATO

PRODUCT CODE APILSB10X

In accordance with Regulation (EC) No 1907/2006 (REACH), Art. 31 and subsequent updates

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Aloe Vera Gel 10:1 - Sorbato & Benzoato **Trade Name Synonyms** Aloe Vera Gel 10X with Sorbato & Benzoato

EC Number

CAS Number Multiple CAS numbers (see Technical Data Sheet)

REACH Registration Number

Relevant Identified Uses Ingredients for food, cosmetics, and nutraceuticals

Uses Advised Against

Manufacturer/Supplier Sinaloina SA de CV

Real de Zimapán 430 Villas del Parque Querétaro Querétaro **Address**

Phone

Email info@sinaloina.com **Emergency Number** 1-800-424-9300

SECTION 2: Hazards identification

Signal Word

presenting a health or environmental hazard within the Classification of the Substance or Mixture meaning of Regulation (EC) No 1272/2008.

For the full text of Hazard- and EU Hazard statements, see

SECTION 16.

No information. The mixture does not contain substances **Hazard Pictograms**

presenting a health or environmental hazard within the

No information. The mixture does not contain substances

meaning of Regulation (EC) No 1272/2008.

No information. The mixture does not contain substances

presenting a health or environmental hazard within the

meaning of Regulation (EC) No 1272/2008.

No information. The mixture does not contain substances **Precautionary Statements**

presenting a health or environmental hazard within the

meaning of Regulation (EC) No 1272/2008.

Adverse Physicochemical Effects Information not available.

Information not available. When used properly, the product is safe and tolerable in accordance with the legal provisions **Adverse Human Health Effects and Symptoms**

(Article 3 of the EC Cosmetics Regulation). Any other hazard

information applies to inadvertent misuse or accidents.



REAL DE ZIMAPÁN 430 VILLAS DEL PARQUE
QUERÉTARO, QUERÉTARO 76140

INFO@SINALOINA.COM

WWW.SINALOINA.COM

Adverse Environmental Effects

Information is not available. When used properly, the product is safe and tolerable in accordance with the legal provisions (Article 3 of the EC Cosmetics Regulation). Any other hazard information applies to inadvertent misuse or accidents.

Other Adverse Hazards

Based on the available data, the product does not contain PBT or vPvB substances in concentrations ≥0.1%. The product does not contain substances with endocrine-disrupting properties in concentrations ≥0.1%.

SECTION 3: Composition and information on ingredients

The product does not contain substances classified as hazardous to health or the environment under the provisions of Regulation (EU) 1272/2008 (CLP) (and subsequent amendments and adaptations) in quantities that would require declaration.

	Concentration in the mixture : $1.5 \le x < 2\%$			
	CAS Number: 77-92-9			
	EC Number: 201-069-1			
	INDEX Number: (not specified)			
	REACH Registration: 01-2119457026-42			
Citric Acid	Hazard Classification:			
	 Eye Irrit. 2 (H319) → Causes eye irritation, 			
	Category 2			
	 STOT SE 3 (H335) → May cause respiratory 			
	irritation (Specific Target Organ Toxicity - Single			
	Exposure, Category 3)			
	Concentration in the mixture : $0.3 \le x < 0.35$			
	CAS Number: 24634-61-5			
	EC Number: 246-376-1			
	INDEX Number: 019-003-00-3			
Potassium Sorbate	REACH Registration: (not specified)			
Potassium sorbate	Hazard Classification:			
	 Eye Irrit. 2 (H319) → Causes eye irritation, 			
	Category 2			
	 Skin Irrit. 2 (H315) → Causes skin irritation, 			
	Category 2			
	Concentration in the mixture : $0.3 \le x < 0.35$			
	CAS Number: 532-32-1			
	EC Number: 208-534-8			
Sodium Benzoate	INDEX Number: (not specified)			
	REACH Registration: 01-2119460683-35			
	Hazard Classification:			
	 Eye Irrit. 2 (H319) → Causes eye irritation, 			
	Category 2			



Following Ingestion

SINALOINA SA DE CV

REAL DE ZIMAPÁN 430 VILLAS DEL PARQUE QUERÉTARO, QUERÉTARO 76140 INFO@SINALOINA.COM WWW.SINALOINA.COM

When contact with the product, use or handling, causes **General Notes** symptoms requiring prompt aid, follow the directives below

for the specifical exposure route.

In case of inhalation, the affected person should be moved **Following Inhalation**

into fresh air and kept still. If breathing is difficult, consult a

doctor.

Remove contaminated, saturated clothing immediately. **Following Skin Contact** Wash thoroughly the body (shower or bath). When in

doubt or if symptoms are observed, get medical advice.

Remove contact lenses. After contact with the eyes, rinse with water with the eyelids open for a sufficient length of **Following Eye Contact**

time, then consult an ophthalmologist immediately.

If accidentally swallowed rinse the mouth with plenty of

water (only if the person is conscious) and obtain

immediate medical attention. Do not induce vomiting when

the affected person is unconscious.

Self-Protection of the First Aider No particular information.

Symptoms See Section 11 (Toxicological information)

Effects See Section 11 (Toxicological information)

Notes for the Doctor Information is not available.

Information is not available. **Special Treatment**

SECTION 5: Firefighting Measures

Suitable Extinguishing Media Carbon dioxide, foam, powder, water mist.

Unsuitable Extinguishing Media No particular media.

Hazardous Combustion Products However, avoid breathing combustion products.

Cool containers with water to avoid possible decomposition

of the product and formation of potential hazardous substances. Wear full protection equipment available. When possible, collect extinguishing water and avoid

contamination of surface water or drains.

Standard firefighting gear, such as a self-contained open

circuit compressed air breathing apparatus (EN 137), flameresistant suit (EN 469), flame-resistant gloves (EN 659), and

firefighter boots (HO A29 or A30).

Equipment for Firefighters

Advice for Firefighters

SECTION 6: Accidental Release Measures



For Cleaning Up

SINALOINA SA DE CV

REAL DE ZIMAPÁN 430 VILLAS DEL PARQUE QUERÉTARO, QUERÉTARO 76140 INFO@SINALOINA.COM WWW.SINALOINA.COM

For non-emergency personnel

Wear suitable protection equipment (see also Section 8 of the SDS) to avoid inhalation, contact with the skin and eyes

and contamination of clothes.

Wear suitable protection equipment (see also Section 8 of the SDS) to avoid inhalation, contact with the skin and eyes **For Emergency Responders**

and contamination of clothes.

Environmental Precautions Do not allow them to enter surface water or drains.

Collect products with mechanical devices (if product is flammable use only antistatically equipped spark-free tools) For Containment and store in suitable containers for disposal. Check

compatibility of the containers to collect product (see also

Section 10 of the SDS).

Use inert absorbent material (sand, vermiculite, diatomaceous earth, etc.) to soak up leaked product. Collect most of the remaining material and store it in suitable containers for disposal. Make sure the leakage site is well aired. Contaminated material should be disposed of

in compliance with the provisions of Section 13.

Other Information No particular information

> Safe handling: see section 7 Disposal: see section 13

Personal protection equipment: see section 8

SECTION 7: Handling and Storage

Technical Measures and Storage Conditions

Reference to other sections

Handle products after consultation of all other sections of this SDS. Avoid product dispersion. When using it do not **General protective measures**

eat, drink, smoke, or sniff. Avoid improper contact with

skin and eyes and inhalation.

If the product is flammable provide adequate earthing of **Measures To Prevent Fire**

containers, equipment, pumps and ventilation facilities.

Measures To Prevent Aerosol and Dust Generation No particular information

Measures To Protect the Environment Avoid product dispersion, keep containers well closed.

When using it, do not eat, drink, smoke, or sniff. Remove **Advice On General Occupational Hygiene**

clothes when contaminated. Wash hands before breaks

and after work.

Keep the product in clearly labeled containers. Store

containers away from any incompatible materials,

referring to Section 10 for details.



REAL DE ZIMAPÁN 430 VILLAS DEL PARQUE
QUERÉTARO, QUERÉTARO 76140

INFO@SINALOINA.COM

WWW.SINALOINA.COM

Packaging Materials

Store in original containers; replace the closing cap. If the product is moved to other containers, label them the same way as the original packages.

Requirements For Storage Rooms and Vessels

Store in tightly closed containers in a cool, dry, and well-ventilated place, away from incompatible materials (see Section 10), protected from light and heat.

Recommendations

No particular information

Industrial Sector Specific Solutions

No particular information

SECTION 8: Exposure Controls/Personal Protection

Exposure Control

Since the use of appropriate technical measures should always take priority over personal protective equipment, ensure good workplace ventilation through effective local exhaust.

Biological limit values

Information not available

Exposure limits at intended use

Information not available

Citric Acid:

• Freshwater reference value: 440 mg/L

Sediment reference value in freshwater: 34.6 mg/kg
 Sediment reference value in seawater: 3.46 mg/kg
 Soil compartment reference value: 33.1 mg/kg

Potassium Sorbate:

Freshwater reference value: 1 mg/L

Marine water reference value: 0.1 mg/L

Freshwater sediment reference value: 3.6 mg/kg

Marine water sediment reference value: 0.36 mg/kg

Intermittent release into water: 4.8 mg/L

STP microorganisms reference value: 10 mg/L

• Soil compartment reference value: 1.67 mg/kg

For consumers:

Oral exposure: 2 mg/kg bw/d (systemic, chronic)

• Inhalation exposure: 52.17 mg/m³ (systemic, acute)

• Dermal exposure: 20 mg/kg bw/d (systemic, acute)

For workers:

Oral exposure: Not applicable

• Inhalation exposure: 17.63 mg/m³ (systemic, chronic)

• **Dermal exposure:** 40 mg/kg bw/d (systemic, chronic)

Sodium Benzoate:

• Freshwater reference value: 0.13 mg/L

Marine water reference value: 0.013 mg/L

• Freshwater sediment reference value: 1.76 mg/kg/d

Marine water sediment reference value: 0.176 mg/kg/d

Intermittent release into water: 0.305 mg/L

DNEL/PNEC-values



REAL DE ZIMAPÁN 430 VILLAS DEL PARQUE
QUERÉTARO, QUERÉTARO 76140

INFO@SINALOINA.COM
WWW.SINALOINA.COM

- STP microorganisms reference value: 10 mg/L
- Food chain (secondary poisoning) reference value: 300 mg/kg
- Soil compartment reference value: 0.276 mg/kg

For consumers:

- Oral exposure: 16.6 mg/kg bw/d (systemic, chronic)
 Inhalation exposure: 0.06 mg/m³ (acute, systemic), 1.5 mg/m³ (systemic, chronic)
- Dermal exposure: 31.25 mg/kg bw/d (systemic, acute), 62.5 mg/kg bw/d (systemic, chronic)

For workers:

- Oral exposure: Not applicable
- Inhalation exposure: 0.1 mg/m³ (local, acute), 3 mg/m³ (systemic, chronic)
- Dermal exposure: Not available

Risk management measures according to used control banding approach

It is recommended to use a P-type filtering face mask, with the class (1, 2, or 3) and actual necessity to be determined based on the results of the risk assessment (ref. EN 149 standard).

Environmental Exposure Controls

Emissions from production processes, including those from ventilation equipment, should be controlled to ensure compliance with environmental protection regulations.

Hand protection

Protect hands with Category III work gloves (ref. EN 374 standard). When selecting the final glove material, consider compatibility, degradation, breakthrough time, and permeation. In the case of preparations, the resistance of work gloves to chemical agents must be tested before use, as is not always predictable. Gloves have a wear time that depends on duration and usage conditions.

Skin protection

Wear long-sleeved work clothing and Category I professional safety footwear (ref. Regulation 2016/425 and EN ISO 20344 standard). Wash with water and soap after removing protective clothing.

Eye protection

It is recommended to wear sealed protective goggles (ref. EN 166 standard).

Respiratory protection

If the threshold limit value (e.g., TLV-TWA) of the substance or any of the substances in the product is exceeded, it is recommended to wear a mask with a type A filter, with the class (1, 2, or 3) chosen according to the usage concentration limit (ref. EN 14387 standard). If gases or vapors of different nature and/or gases or vapors with particles (aerosols, fumes, mists, etc.) are present, combined filters should be used. The use of respiratory protective equipment is necessary if the technical





REAL DE ZIMAPÁN 430 VILLAS DEL PARQUE
QUERÉTARO, QUERÉTARO 76140

INFO@SINALOINA.COM

WWW.SINALOINA.COM

measures adopted are not sufficient to limit worker exposure to the considered threshold values. The protection provided by masks is still limited. If the substance is odorless or its odor threshold is higher than its TLV-TWA and in case of emergency, wear a self-contained open-circuit compressed air breathing apparatus (ref. EN 137 standard) or an external air supply respirator (ref. EN 138 standard). For the correct selection of respiratory protective equipment, refer to the EN 529 standard.

SECTION 9: Physical and Chemical Properties				
Appearance	Clear Solution			
Odor	Characteristics of Aloe Vera			
рН	3.5 – 4.2			
Aloin (A Y B)	< 0.5 ppm			
Melting point/freezing point	Not available			
Initial boiling point	Not available			
Boiling range	Not available			
Flash point	Not available			
Evaporation rate	Not available			
Flammability (solid, gas)	Not available			
Upper flammability	Not available			
Lower flammability	Not available			
Upper explosivity	Not available			
Lower explosivity	Not available			
Vapor pressure	Not available			
Vapor density	Not available			
Relative density	Not available			
Solubility	Soluble in water/Insoluble in Organic solvents			
Partition coefficient	Not available			
Auto-ignition temperature	Not available			
Decomposition temperature	Not available			
Viscosity	Not available			
Explosive properties	Not available			
Oxidizing properties	Not available			

SECTION 10: Stability and Reactivity

Reactivity

Chemical Stability

Possibility Of Hazardous Reactions

No reaction hazards with other chemicals at normal use and storage conditions.

The product is stable under normal use and storage conditions.

Sodium Benzoate

- Under normal conditions of use and storage, hazardous reactions are not expected.
- May form explosive mixtures with air.



REAL DE ZIMAPÁN 430 VILLAS DEL PARQUE
QUERÉTARO, QUERÉTARO 76140

INFO@SINALOINA.COM
WWW.SINALOINA.COM

Conditions to avoid

 No specific conditions. However, follow standard precautions when handling chemicals.

Citric Acid

Avoid dust formation.

Potassium Sorbate

Avoid light and heat.

Sodium Benzoate

- Avoid overheating.
- Avoid exposure to heat, open flames, and electrostatic discharges.

Avoid the formation of dust

Citric Acid

- Strong bases
- Oxidizing agents

Potassium Sorbate

- Strong oxidizers
- Aluminum, zinc, tin

Sodium Benzoate

- Strong reducing and oxidizing agents
- Strong bases and acids
- High-temperature materials

Citric Acid

 In case of fire or high temperatures, hazardous toxic vapors may form.

Potassium Sorbate

 $\bullet \hspace{0.5cm}$ In case of overheating, toxic vapors containing CO and CO_2 may develop.

Sodium Benzoate

May develop carbon oxides.

SECTION 11: Toxicological Information

Citric Acid:

- LD50 (Dermal): > 2000 mg/kg (rat).
- LD50 (Oral): 11700 mg/kg (rat), OECD 401.

Potassium Sorbate

- LD50 (Dermal): 2000 mg/kg (rabbit).
- LD50 (Oral): 10500 mg/kg (rat).

Sodium Benzoate

• LD50 (Oral): > 2000 mg/kg (rat).

Incompatible Materials

Acute toxicity

Conditions To Avoid

Hazardous Decomposition Products



REAL DE ZIMAPÁN 430 VILLAS DEL PARQUE
QUERÉTARO, QUERÉTARO 76140

INFO@SINALOINA.COM

WWW.SINALOINA.COM

Citric Acid Species: Rabbit. Skin corrosion/irritation Result: No skin irritation. Method: OECD Test Guideline 404. Note: May cause skin irritation in predisposed individuals. Citric Acid Species: Rabbit. Serious eye damage/irritation Result: eye irritation. Method: OECD Test Guideline 405. Respiratory or skin sensitization Does not meet the classification criteria for this hazard class. Citric Acid In vitro Genotoxicity: Test type: Reverse mutation assay. Test system: Salmonella typhimurium. Concentration: 0 - 5000 µg/plate. Method: Mutagenicity (Salmonella typhimurium - Ames test). Result: Negative. Test type: Micronucleus test. Test system: Human lymphocytes. Concentration: 50, 100, 200, 3000 µg/ml. Germ cell mutagenicity Method: Mutagenicity (mammalian: in vitro cytogenetic assay). Result: Positive. In vivo Genotoxicity: **Test type:** Chromosome aberration test. Species: Rat. Cell type: Bone marrow. Application method: Oral. Doses: 0.3 mg/kg bw. Method: OECD Test Guideline 475. Result: Negative. **Potassium Sorbate** NOAEL: 1400 mg/kg bw/day, oral. Negative. Carcinogenicity **Sodium Benzoate** NOAEL (rat): 500 mg/kg bw/day. **Potassium Sorbate** Fertility: NOAEL: 1000 mg/kg bw/day, oral. Negative. **Developmental Toxicity:** Reproductive toxicity NOAEL: 300 mg/kg bw/day, oral. Negative. **Sodium Benzoate** NOAEL (rat): 500 mg/kg bw/day. Does not meet the classification criteria for this hazard class. Summary of evaluation of the CMR properties STOT-single exposure Citric Acid



STOT-repeated exposure

Other information

Acute (short-term) toxicity

SINALOINA SA DE CV

REAL DE ZIMAPÁN 430 VILLAS DEL PARQUE
QUERÉTARO, QUERÉTARO 76140

INFO@SINALOINA.COM
WWW.SINALOINA.COM

- The substance or mixture is classified as a specific target organ toxicant (single exposure), category 3, causing respiratory tract irritation.
- Target Organs: Respiratory system.
- Route of Exposure: Inhalation.

Citric Acid

• Repeated Dose Toxicity:

Species: Rat.

NOAEL: 4000 mg/kg.LOAEL: 8000 mg/kg.

Application method: Oral.
Exposure duration: 10 days.
Doses: 2, 4, 8, 16 g/kg bw/day.

Aspiration hazardDoes not meet the classification criteria for this hazard class.

Endocrine disrupting propertiesDoes not meet the classification criteria for this hazard class.

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with effects on human health under evaluation.

SECTION 12: Ecological Information

Use products following good working practice. Take measures to prevent the release of the substance or mixture to the environment, such as avoiding spills or keeping away from drains.

Potassium Sorbate

LC50 - Fish: 500 mg/L (96h)

EC50 - Crustaceans: 480 mg/L (48h)

• EC50 - Algae / Aquatic plants: 982 mg/L (72h)

Sodium Benzoate

LC50 - Fish: > 100 mg/L (96h) (Pimephales promelas)

EC50 - Crustaceans: > 100 mg/L (48h) (Daphnia magna)

 EC50 - Algae / Aquatic plants: > 30.5 mg/L (72h) (Pseudokirchnerella subcapitata)

Chronic (long-term) toxicity Information not available

Abiotic degradation Information not available

Physical- and photo-chemical elimination Information not available

Potassium Sorbate: Biodegradable.

Biodegradation Sodium Benzoate: Readily degradable, water solubility >

10000 mg/L.

Partition coefficient n-octanol/water Sodium Benzoate: Log Pow = 1.88

Bioconcentration factor (BCF) Potassium Sorbate: BCF = 0.007 (dimensionless).

Known or predicted distribution to environmental

compartments

Potassium Sorbate: High mobility in soil, indicating high potential for leaching into groundwater due to low Log Koc.



REAL DE ZIMAPÁN 430 VILLAS DEL PARQUE QUERÉTARO, QUERÉTARO 76140 INFO@SINALOINA.COM WWW.SINALOINA.COM

Surface tension Information not available

Information not available Adsorption/Desorption

Based on the available data, the product does not contain **Results of PBT and VPVB Assessment**

PBT or vPvB substances in a percentage ≥ 0.1%.

Based on the available data, the product does not contain substances listed in the main European lists of potential or **Endocrine Disrupting Properties**

suspected endocrine disruptors with effects on the

environment under evaluation.

Other Adverse Effects Information not available

SECTION 13: Disposal Considerations

Product/Packaging disposal

Reuse when possible; neat cosmetic products residues are generally considered special non-hazardous waste. Disposal must be carried out by an authorized waste management company, in compliance with current national and local regulations. Contaminated packages must be delivered for reuse or disposal by an authorized waste management company.

Waste treatment must be generally performed by an Waste treatment-relevant information authorized waste management company, in compliance

with current national and local regulations.

Waste treatment must be generally performed by an Sewage disposal-relevant information authorized waste management company, in compliance

with current national and local regulations.

Other disposal recommendations No particular information

SECTION 14: Transport Information

This section of the safety data sheet shall provide basic classification information for the transport/shipment of substances or mixtures mentioned in Section 1 by road, rail, sea, inland waterways or air. Where such information is not available or relevant this shall be stated. Where relevant, this section shall provide information on the transport classification for each of the following international agreements which are transposing the UN Model Regulations for specific transport modes: the Agreement concerning the International Carriage of Dangerous Goods by Road (ADR), the Regulations concerning the International Carriage of Dangerous Goods by Rail (RID) and the European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (ADN), all three of which have been implemented by Directive 2008/68/EC of the European Parliament and of the Council, as well as the International Maritime Dangerous Goods (IMDG) Code for the transport of packaged goods and the relevant IMO codes for the transport of bulk cargo by sea, and the Technical Instructions for the Safe Transport of Dangerous Goods by Air (ICAO).

	US DOT	ADR	IMDG	ICAO
UN number or ID number	Not regulated	Not regulated	Not regulated	Not regulated
UN proper shipping name	Not regulated	Not regulated	Not regulated	Not regulated
Transport hazard class	Not regulated	Not regulated	Not regulated	Not regulated
Packing group	Not regulated	Not regulated	Not regulated	Not regulated
Environmental hazards	Not regulated	Not regulated	Not regulated	Not regulated





REAL DE ZIMAPÁN 430 VILLAS DEL PARQUE
QUERÉTARO, QUERÉTARO 76140

INFO@SINALOINA.COM

WWW.SINALOINA.COM

Special Precautions for Users	Not regulated	Not regulated	Not regulated	Not regulated
Maritime Transport in Bulk	Not regulated	Not regulated	Not regulated	Not regulated

SECTION 15: Regulatory Information

Complies with Regulation (EU) 2015/830 and Regulation (EC) No 1272/2008 (CLP).

SECTION 16: Other Information

Prepared by: SINALOINA Date of Printing: 1 March 2025

ABBREVIATIONS AND ACRONYMS:

- ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
- CAS Number: Chemical Abstract Service Number
- EC Number: The identification number in the EC Inventory of Chemicals
- CLP: EC Regulation 2008/1272
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Global Harmonised System for the classification and labelling of chemical prosucts
- IATA DGR: Dangerous Goods Regulations for the transport of dangerous goods by the International Air Transport Association
- IC50: The Concentration 50% is a measure of the effectiveness of a substance in inhibiting a specific biological or biochemical function
 - ICAO: echnical Instructions for the Safe Transport of Dangerous Goods by Air
 - IMDG: International Maritime Dangerous Goods Code for the transportation or shipment of dangerous goods
 - IMO: International Maritime Organization
 - INDEX NUMBER: Identification number in the Annex VI of CLP
 - LC50: Letal concentration 50%
 - LD50: Letal dose 50%
 - OEL: Occupational Exposure Level
 - REACH: EC Regulation 2006/1907
 - RID: Regulations concerning the International Carriage of Dangerous Goods by Rail
 - VOC: Volatile Organic Compound
 - vPvB: very Persistent and very Bioaccumulative (REACH)

SOURCES:

- EU Regulation 2006/1907 (REACH)
- EU Regulation 2008/1272 (CLP)
- EU Regulation 2009/790 (I CLP Atp)
- EU Regulation 2011/286 (II CLP Atp)
- EU Regulation 2012/618 (III CLP Atp)
- EU Regulation 2013/487 (IV CLP Atp)
- EU Regulation 2013/944 (V CLP Atp)
- EU Regulation 2014/605 (VI CLP Atp)
- EU Regulation 2015/1221 (VII CLP Atp)
- EU Regulation 2015/830
- EU Regulation 2016/918 (VIII CLP Atp)
- EU Regulation 2016/1179 (IX CLP Atp)
- EU Regulation 2017/776
- EU Regulation 2018/669
- EU Regulation 2018/1480
- EU Regulation 2020/1182



REAL DE ZIMAPÁN 430 VILLAS DEL PARQUE
QUERÉTARO, QUERÉTARO 76140

INFO@SINALOINA.COM

WWW.SINALOINA.COM

- EU Regulation 2021/849
- EU Regulation 2020/878 (Reach)
- Web site of ECHA Agency

Disclaimer:

The information contained herein is true and correct to the best of Sinaloina's knowledge. No warranty, expressed or implied, is made. Nothing herein should be interpreted as a recommendation to infringe existing patents or violate any laws or regulations. Final determination of the suitability of the material is the sole responsibility of the user.